





*Your Roof. For Life!
On Time and Complete!™*

Residential Metal Roofing Trim Guide


Residential Metal Roofing Trim Guide




2. Ridge Cap - Caps off roof peak, protects against leaks.




3. Rake Trim - Seals off roof where panels end at the gable.




11. Side Wall Trim - Protects against leaks where a side wall connects to a lower roof.




13. Fascia Trim - Conceals rafter edge. Also used to cover door jambs.




16a. End Wall - Protects against leaks where an end wall connects to a lower roof.




16b. Notched End Wall - Profiled fit to protect against leaks where an end wall connects to a lower roof.




19a. Transition Flashing - Protects against leaks at a pitch change from low to high.




19b. Notched Transition Flashing - Profiled fit to protect against leaks at a pitch change from low to high.




20a. Gambrel Flashing - Protects against leaks at a pitch change from high to low.




20b. Notched Gambrel Flashing - Profiled fit to protect against leaks at pitch change from high to low.




21. Preformed Valley - Directs rain water run-off where two roof slopes form a valley.



22. Drip Edge - Diverts water away from house along eave.




23. Eave Edge - Diverts water away from house along eave.



24. Pipe Boot - Protects against leaks around pipes.

Residential Metal Roofing Trim Guide



All trims are 10' in length unless otherwise noted.

P = Painted Side


* Union Corrugating Company recommends the use of closure strips with the following trim pieces

Outside Closures: Ridge Cap, Endwall, Transition and Gambrel
Inside Closures: Drip Edge, Eave Edge, Transition and Gambrel


2 14" RIDGECAP (10' 6")
 PF01
 4:12 PITCH STANDARD
 UNLESS SPECIFIED OTHERWISE




3 RAKE TRIM
 PF02




11 SIDE WALL TRIM
 PF07




13a 7 1/2" FASCIA TRIM
 PF18




13b 5 1/2" FASCIA TRIM
 PF19




13c 3 1/2" FASCIA TRIM
 PF20




16a END WALL
 PF08
 4:12 PITCH STANDARD
 UNLESS SPECIFIED OTHERWISE




16b NOTCHED END WALL (41")
 PF48
 4:12 PITCH STANDARD
 UNLESS SPECIFIED OTHERWISE




19a TRANSITION FLASHING
 PF10
 4:12 PITCH STANDARD
 UNLESS SPECIFIED OTHERWISE




19b NOTCHED TRANSITION FLASHING (41")
 PF49
 4:12 PITCH STANDARD UNLESS SPECIFIED OTHERWISE



20a GAMBREL FLASHING
 PF11
 4:12 PITCH STANDARD UNLESS SPECIFIED OTHERWISE




20b NOTCHED GAMBREL FLASHING (41")
 PF50
 4:12 PITCH STANDARD UNLESS SPECIFIED OTHERWISE




21 PREFORMED VALLEY
 PF12
 4:12 PITCH STANDARD UNLESS SPECIFIED OTHERWISE




22a 4 1/2" DRIP EDGE
 FT01




22b 6" T-STYLE DRIP EDGE
 FT02



23a 3 x 3 EAVE EDGE
 FT04
 4:12 PITCH STANDARD UNLESS SPECIFIED OTHERWISE



22a 2 x 2 EAVE EDGE
 FT03
 4:12 PITCH STANDARD UNLESS SPECIFIED OTHERWISE



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

© 2025 Union Corrugating Company, part of **Cornerstone Building Brands**, Inc. ALL RIGHTS RESERVED.
No part of this document may be reproduced or distributed in any form whatsoever without prior written authorization.